

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/814,805	04/01/2004	Sang Gyu Jung	1594.1431	5307
21171 75	90 07/13/2005		EXAMINER	
STAAS & HALSEY LLP			JONES, MELVIN	
SUITE 700 1201 NEW YORK AVENUE, N.W.			ART UNIT	PAPER NUMBER
WASHINGTO			3744	
			DATE MAIL ED: 07/13/2004	•

Please find below and/or attached an Office communication concerning this application or proceeding.

		<i>DY</i>			
	Application No.	Applicant(s)			
Office Action Summan.	10/814,805	JUNG, SANG GYU			
Office Action Summary	Examiner	Art Unit			
	Melvin Jones	3744			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is tess than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. (D) (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 01 Ap	oril 2004.				
·	action is non-final.				
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims					
4) ☑ Claim(s) 1-4 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☑ Claim(s) 1-4 is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or					
Application Papers					
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on 01 April 2004 is/are: a) Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Ex	☐ accepted or b)☒ objected to drawing(s) be held in abeyance. Serion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
· ·					
Attachment(s)					
Notice of References Cited (PTO-892)	4) Interview Summary Paper No(s)/Mail D				
Notice of Draitsperson's Patent Brawing Review (P10-946) 3) ☑ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 07112005.		Patent Application (PTO-152)			

Application/Control Number: 10/814,805 Page 2

Art Unit: 3744

DETAILED ACTION

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "detection device" must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Allowable Subject Matter

Claims 1-4 are allowed over the prior art of record.

Conclusion

This application is in condition for allowance except for the following formal matters:

Applicant claims a "detection device" in claim 1, however not shown in figures.

Prosecution on the merits is closed in accordance with the practice under Exparte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melvin Jones whose telephone number is (571)272-4810. The examiner can normally be reached on Monday & Wed - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl J. Tyler can be reached on (571) 272-4834. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

Application/Control Number: 10/814,805 Page 4

Art Unit: 3744

For more information about the PAIR system, see http://pair-direct.uspto.gov.

Should you have questions on access to the Private PAIR system, contact the

Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Melvin Jones Primary Examiner Art Unit 3744

MELVIN JONES
PRIMARY EXAMINER